

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product form	: Mixture
Product name	: T42 Nutlock
UFI	: 2RPA-6307-740D-PX4X
Product code	: T42
Type of product	: adhesives
Product group	: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against**1.2.1. Relevant identified uses**

Use of the substance/mixture	: Anaerobic thread locking compound based on methacrylates
Use of the substance/mixture	: Adhesives, sealants
Function or use category	: Adhesives, binding agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Cyanotec Ltd
Bay 2 Building 62, Third Avenue,
Pensnett Trading Estate,
Kingswinford,
West Midlands DY6 7XT United Kingdom

Tel: +44 (0)1384 294753
Email: sales@cyanotec.com

1.4. Emergency telephone number

Emergency number	: +44 (0) 1384 294753 (Monday - Thursday 9:00 to 17:00) UK Only - IN CASE OF TOXIC OR TRANSPORT EMERGENCY: National Chemical Emergency Centre: Telephone 01865 407333
------------------	---

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	Only for healthcare professionals

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No. 1272/2008 [CLP]**

Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2	H319
Skin sensitisation, Category 1	H317
Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	H335
Hazardous to the aquatic environment – Chronic Hazard, Category 1	H410
Full text of H- and EUH-statements: see section 16	

T42 Nutlock

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Adverse physicochemical, human health and environmental effects

Causes serious eye irritation. Causes skin irritation. May cause an allergic skin reaction. Harmful to aquatic life.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS07

GHS09

Signal word (CLP)

: Warning

Contains

: Triethyleneglycol Dimethacrylate, Hydroxypropyl Methacrylate, Reaction Mass Of 2,2'-[[4-Methylphenyl]Imino]Bisethanol And Ethanol 2-[[2-(2-Hydroxyethoxy)Ethyl](4-Methylphenyl)Amino]-, Acrylic Acid, α,α -dimethylbenzyl hydroperoxide, Dipropyleneglycol diacrylate, Modified Polyether Acrylate

Hazard statements (CLP)

: H315 - Causes skin irritation.
H317 - May cause an allergic skin reaction.
H319 - Causes serious eye irritation.
H335 - May cause respiratory irritation.
H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP)

: P261 - Avoid breathing vapours.
P271 - Use only outdoors or in a well-ventilated area.
P280 - Wear eye protection, protective gloves.
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P302+P352 - IF ON SKIN: Wash with plenty of soap and water.
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P273 - Avoid release to the environment.

2.3. Other hazards

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Triethyleneglycol Dimethacrylate	CAS-No.: 109-16-0 EC-No.: 203-652-6 REACH-no: 01-2119969287-21	$\geq 30 - < 45$	Skin Sens. 1B, H317 Aquatic Chronic 3, H412
Diisopropyl Naphthalene	CAS-No.: 38640-62-9 EC-No.: 254-052-6 REACH-no: 01-2119565150-48	$\geq 15 - < 30$	Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Hydroxypropyl Methacrylate	CAS-No.: 27813-02-1 EC-No.: 248-666-3 REACH-no: 01-2119490226-37	$\geq 3 - < 8$	Eye Irrit. 2, H319 Skin Sens. 1, H317

T42 Nutlock

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
α,α -dimethylbenzyl hydroperoxide	CAS-No.: 80-15-9 EC-No.: 201-254-7 EC Index-No.: 617-002-00-8 REACH-no: 01-211947596-19	$\geq 1 - < 3$	Org. Perox. E, H242 Acute Tox. 3 (Inhalation), H331 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Oral), H302 STOT RE 2, H373 Skin Corr. 1B, H314 Aquatic Chronic 2, H411
Acrylic Acid substance with a Community workplace exposure limit	CAS-No.: 79-10-7 EC-No.: 201-177-9 EC Index-No.: 607-061-00-8 REACH-no: 01-2119452449-31	$\geq 0.3 - \leq 1$	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1A, H314 Aquatic Acute 1, H400
2'-Phenylacetohydrazide	CAS-No.: 114-83-0 EC-No.: 204-055-3 REACH-no: EXEMPT <1T	$\geq 0.3 - < 1$	Acute Tox. 3 (Oral), H301
2,6-di-tert-butyl-p-cresol; BHT substance with a Community workplace exposure limit	CAS-No.: 128-37-0 EC-No.: 204-881-4 REACH-no: 01-2119565113-46-XXXX, 01-2119480433-40-XXXX, 01-2119555270-46-XXXX	$\geq 0.3 - < 1$	Aquatic Chronic 1, H410
N,N-dimethyl-p-toluidine	-	$\geq 0.3 - < 1$	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 2 (Inhalation:vapour), H330 STOT RE 2, H373 Aquatic Chronic 3, H412
Reaction Mass Of 2,2'-[(4-Methylphenyl)Imino]Bisethanol And Ethanol 2-[[2-(2-Hydroxyethoxy)Ethyl](4-Methylphenyl)Amino]-	EC-No.: 911-490-9 REACH-no: 01-2119979579-10	$\geq 0.1 - < 0.3$	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Titanium dioxide (Note 10)	CAS-No.: 13463-67-7 EC-No.: 236-675-5 EC Index-No.: 022-006-00-2 REACH-no: 01-2119489379-17	$\geq 0.1 - < 0.3$	Carc. 2, H351
Dipropylene glycol diacrylate	CAS-No.: 57472-68-1 EC-No.: 260-754-3 REACH-no: 01-2119484629-21	$\geq 0.1 - < 0.3$	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
Modified Polyether Acrylate	CAS-No.: Proprietary Polymer EC-No.: Proprietary Polymer	$\geq 0.1 - < 0.3$	Eye Irrit. 2, H319 Skin Sens. 1A, H317

Specific concentration limits:

Name	Product identifier	Specific concentration limits
α,α -dimethylbenzyl hydroperoxide	CAS-No.: 80-15-9 EC-No.: 201-254-7 EC Index-No.: 617-002-00-8 REACH-no: 01-211947596-19	(0 <C < 10) STOT SE 3, H335 (1 ≤C < 3) Eye Irrit. 2, H319 (3 ≤C < 10) Skin Irrit. 2, H315 (3 ≤C < 10) Eye Dam. 1, H318 (5 ≤C < 100) Org. Perox. E, H242 (10 ≤C ≤ 100) Skin Corr. 1B, H314

T42 Nutlock

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Specific concentration limits:

Name	Product identifier	Specific concentration limits
Acrylic Acid	CAS-No.: 79-10-7 EC-No.: 201-177-9 EC Index-No.: 607-061-00-8 REACH-no: 01-2119452449-31	(1 ≤C ≤ 100) STOT SE 3, H335

Note 10 : The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter ≤ 10 µm.

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	: Move the affected person away from the contaminated area and into the fresh air. If symptoms persist, consult a doctor.
First-aid measures after skin contact	: Remove all contaminated clothing and footwear. Wash immediately with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse immediately with plenty of water (for at least 15 minutes). Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth out with water. Do not induce vomiting. Drink plenty of water. Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects	: May cause an allergic skin reaction.
Symptoms/effects after inhalation	: May cause shortness of breath, tightness of the chest, a sore throat and cough.
Symptoms/effects after skin contact	: skin irritation and erythema. Allergic skin rash.
Symptoms/effects after eye contact	: Eye irritation. redness, itching, tears.
Symptoms/effects after ingestion	: Causes irritation of the mouth and throat. Abdominal pain, nausea.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. An eyewash station should be available on the premises.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: dry chemical powder, alcohol-resistant foam, carbon dioxide (CO ₂).
Unsuitable extinguishing media	: high volume water jet or water based extinguishing media.

5.2. Special hazards arising from the substance or mixture

Reactivity in case of fire	: Polymerises on exposure to temperature rise: pressure build-up may cause closed container to burst.
Hazardous decomposition products in case of fire	: Combustion products may include the following: carbon oxides (CO, CO ₂) (carbon monoxide, carbon dioxide) nitrogen oxides (NO, NO ₂ etc.).

5.3. Advice for firefighters

Firefighting instructions	: Avoid contact with skin and eyes. Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

T42 Nutlock

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Clean up any spills as soon as possible, using an absorbent material to collect it. Scoop absorbed substance into closing containers.

6.1.1. For non-emergency personnel

Protective equipment : Chemical resistant gloves (according to European standard EN 374 or equivalent).
Emergency procedures : Avoid breathing vapours. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures : Mark out the contaminated area with signs and prevent access to unauthorized personnel. Keep people away from and upwind of spill/leak. Stop the leak. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Avoid release to the environment. For a large spillage, contain the spillage by bunding. Do not allow to enter drains or water courses.

6.3. Methods and material for containment and cleaning up

For containment : Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. For large spills, confine the spill in a dike and charge it with wet sand or earth for subsequent safe disposal.
Methods for cleaning up : Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection". For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure that there is a suitable ventilation system. Do not handle in a confined space. Avoid breathing vapours. Avoid contact with skin and eyes. Wear personal protective equipment. Do not wear protective gloves made from PVC as these absorb (meth)acrylates.
Hygiene measures : Take off immediately all contaminated clothing and wash it before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.
Storage conditions : Store in original container. Keep container tightly closed. Keep cool. IMPORTANT - if stored in bulk, product must be kept in contact with air to aid stabilisation.
Incompatible products : Strong acids. Strong oxidizing agents. Copper and its alloys. free radical initiators.
Incompatible materials : Heat sources. Direct sunlight. Metals. Sources of ignition.
Storage temperature : < 30 °C
Storage area : The floor of the depot should be impermeable and designed to form a water-tight basin.
Packaging materials : Always store product in a container of the same material as original container.

7.3. Specific end use(s)

adhesives.

T42 Nutlock

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

2,6-di-tert-butyl-p-cresol; BHT (128-37-0)

United Kingdom - Occupational Exposure Limits

Local name	2,6-Di-tert-butyl-p-cresol
WEL TWA (OEL TWA) [1]	10 mg/m ³
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

Acrylic Acid (79-10-7)

United Kingdom - Occupational Exposure Limits

Local name	Acrylic acid (Prop-2-enoic acid)
WEL TWA (OEL TWA) [1]	30 mg/m ³
WEL TWA (OEL TWA) [2]	10 ppm
WEL STEL (OEL STEL)	60 mg/m ³
WEL STEL (OEL STEL) [ppm]	20 ppm
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

Titanium dioxide (13463-67-7)

United Kingdom - Occupational Exposure Limits

Local name	Titanium dioxide
WEL TWA (OEL TWA) [1]	4 mg/m ³ respirable 10 mg/m ³ total inhalable
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station. See Section 7 for information on safe handling. Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.

8.2.2. Personal protection equipment

Personal protective equipment:

Safety glasses. Gloves.

T42 Nutlock

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

Eye protection			
Type	Field of application	Characteristics	Standard
Safety glasses	Droplet	With side shields	EN 166

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves. Do not wear protective gloves made from PVC as these absorb (meth)acrylates. . Do not wear: . Latex gloves

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR), Viton® II, Fluoroelastomer (FKM)	5 (> 240 minutes)	>0.3		EN ISO 374

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Respiratory protection			
Device	Filter type	Condition	Standard
Reusable half mask	Type A - High-boiling (>65 °C) organic compounds	If conc. in air > exposure limit	EN 405, EN 14387

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Do not discharge into drains or the environment. The floor of the depot should be impermeable and designed to form a water-tight basin.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Viscous.
Colour	: Blue.
Odour	: Characteristic pungent odour.
Odour threshold	: No data available
pH	: ≈ 5
Relative evaporation rate (butylacetate=1)	: No data available
Melting point	: No data available

T42 Nutlock

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 100 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: ≈ 0.1 mm Hg @20°C
Relative vapour density at 20 °C	: No data available
Relative density	: ≈ 1.04
Solubility	: Material insoluble in water. Soluble in acetone.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: ≈ 5200 mm ² /s
Viscosity, dynamic	: ≈ 5400 cP Anton Paar cone and plate, controlled stress rheometer
Explosive properties	: No data available
Oxidising properties	: Not oxidising.
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Polymerises on exposure to temperature rise: pressure build-up may cause closed container to burst.

10.4. Conditions to avoid

High temperature. Heat. Direct sunlight.

10.5. Incompatible materials

Strong oxidizing agents. Strong reducing agents. Strong acids. free radical initiators. Metals.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Combustion products may include the following: carbon oxides (CO, CO₂) (carbon monoxide, carbon dioxide) nitrogen oxides (NO, NO₂ etc.).

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified

Triethyleneglycol Dimethacrylate (109-16-0)	
LD50 oral rat	10837 mg/kg
LD50 dermal	> 2000 mg/kg
Diisopropyl Naphthalene (38640-62-9)	
LD50 oral rat	4130 mg/kg

T42 Nutlock

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Diisopropyl Naphthalene (38640-62-9)	
LD50 oral	3400 mg/kg
LD50 dermal rat	> 4000 mg/kg
LC50 Inhalation - Rat	> 5.6 mg/l (OECD 403 method)
Hydroxypropyl Methacrylate (27813-02-1)	
LD50 oral rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 oral	7964 mg/kg
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit, Animal sex: male
LD50 dermal	> 5000 mg/kg
Reaction Mass Of 2,2'-[(4-Methylphenyl)Imino]Bisethanol And Ethanol 2-[[2-(2-Hydroxyethoxy)Ethyl](4-Methylphenyl)Amino]-	
LD50 oral rat	619 mg/kg
LD50 dermal	> 2000 mg/kg
2'-Phenylacetohydrazide (114-83-0)	
LD50 oral	270 mg/kg bodyweight mouse
2,6-di-tert-butyl-p-cresol; BHT (128-37-0)	
LD50 oral rat	> 2930 mg/kg
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402 method)
LD50 dermal	> 2000 mg/kg
N,N-dimethyl-p-toluidine	
LD50 oral rat	1650 mg/kg bodyweight Equivalent to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s)
LD50 oral	139 mg/kg bodyweight LD50 oral mouse
LD50 dermal rabbit	> 2000 mg/kg bodyweight (24 h, Rabbit, Male / female, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	1.4 mg/l Animal: rat, OECD Guideline 403: (Acute Inhalation Toxicity)
Acrylic Acid (79-10-7)	
LD50 oral rat	1000 – 2000 mg/kg bodyweight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Male, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
α,α-dimethylbenzyl hydroperoxide (80-15-9)	
LD50 oral rat	382 mg/kg
Titanium dioxide (13463-67-7)	
LD50 oral rat	> 5000 mg/kg
Dipropylene glycol diacrylate (57472-68-1)	
LD50 oral rat	2810 – 4270 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
Skin corrosion/irritation	: Causes skin irritation. pH: \approx 5

T42 Nutlock

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Reaction Mass Of 2,2'-[(4-Methylphenyl)Imino]Bisethanol And Ethanol 2-[[2-(2-Hydroxyethoxy)Ethyl](4-Methylphenyl)Amino]-

pH ≈ 7

N,N-dimethyl-p-toluidine

pH 7.44 (1 vol %, 25 °C)

Serious eye damage/irritation : Causes serious eye irritation.
pH: ≈ 5

Reaction Mass Of 2,2'-[(4-Methylphenyl)Imino]Bisethanol And Ethanol 2-[[2-(2-Hydroxyethoxy)Ethyl](4-Methylphenyl)Amino]-

pH ≈ 7

N,N-dimethyl-p-toluidine

pH 7.44 (1 vol %, 25 °C)

Respiratory or skin sensitisation : May cause an allergic skin reaction.
Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)

N,N-dimethyl-p-toluidine

AMES test S. typhimurium: Result, Negative

Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)

2,6-di-tert-butyl-p-cresol; BHT (128-37-0)

IARC group 3 - Not classifiable

N,N-dimethyl-p-toluidine

IARC group 2B - Possibly carcinogenic to humans

2,6-di-tert-butyl-p-cresol; BHT (128-37-0)

NOAEL (chronic, oral, animal/male, 2 years) 25 mg/kg bodyweight Animal: rat, Animal sex: male, Remarks on results: other:Effect type: toxicity (migrated information)

Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)

Hydroxypropyl Methacrylate (27813-02-1)

NOAEL (animal/male, F0/P) 300 mg/kg bodyweight

NOAEL (animal/female, F0/P) 300 mg/kg bodyweight

NOAEL (animal/male, F1) ≥ 1000 mg/kg bodyweight

NOAEL (animal/female, F1) ≥ 1000 mg/kg bodyweight

STOT-single exposure : May cause respiratory irritation.

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

Triethyleneglycol Dimethacrylate (109-16-0)

NOAEL (oral, rat, 90 days) 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)

Hydroxypropyl Methacrylate (27813-02-1)

NOAEL (oral, rat, 90 days) 300 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)

2,6-di-tert-butyl-p-cresol; BHT (128-37-0)

LOAEL (oral, rat, 90 days) 15 mg/kg bodyweight

NOAEL (oral, rat, 90 days) 25 mg/kg bodyweight/day

T42 Nutlock

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2,6-di-tert-butyl-p-cresol; BHT (128-37-0)	
NOAEL (subchronic, oral, animal/male, 90 days)	25 mg/kg bodyweight
N,N-dimethyl-p-toluidine	
STOT-repeated exposure	May cause damage to organs (blood system) through prolonged or repeated exposure (inhalation).
Acrylic Acid (79-10-7)	
NOAEL (oral, rat, 90 days)	40 – 375 mg/kg bodyweight/day
α,α-dimethylbenzyl hydroperoxide (80-15-9)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Dipropylene glycol diacrylate (57472-68-1)	
NOAEL (oral, rat, 90 days)	250 mg/kg bodyweight/day
Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)	
T42 Nutlock	
Viscosity, kinematic	$\approx 5200 \text{ mm}^2/\text{s}$
Diisopropyl Naphthalene (38640-62-9)	
Viscosity, kinematic	13 mm ² /s @20°C: Capillary viscometer
Hydroxypropyl Methacrylate (27813-02-1)	
Viscosity, kinematic	8.9 mm ² /s @20°C
N,N-dimethyl-p-toluidine	
Viscosity, kinematic	15.368 mm ² /s
Acrylic Acid (79-10-7)	
Viscosity, kinematic	1.093 mm ² /s

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Harmful to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Not classified (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long-term (chronic)	: Very toxic to aquatic life with long lasting effects.

Triethyleneglycol Dimethacrylate (109-16-0)	
LC50 - Fish [1]	16.4 mg/l
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
EC50 72h - Algae [2]	72.8 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
LOEC (chronic)	100 mg/l species: Daphnia magna Duration: '21 d'
NOEC (chronic)	32 mg/l species: Daphnia magna Duration: '21 d'
Diisopropyl Naphthalene (38640-62-9)	
LC50 - Fish [1]	$\geq 2.44 \text{ mg/l}$

T42 Nutlock

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Diisopropyl Naphthalene (38640-62-9)	
EC50 - Crustacea [1]	> 0.16 mg/l Species: Daphnia magna
LOEC (chronic)	0.025 mg/l Species: Daphnia magna Duration: '21 d'
NOEC (chronic)	0.013 mg/l Species: Daphnia magna Duration: '21 d'
NOEC chronic crustacea	0.013 mg/l (OECD 202 method)
Hydroxypropyl Methacrylate (27813-02-1)	
LC50 - Fish [1]	> 493 mg/l DIN 38412: Pt1
EC50 - Crustacea [1]	> 143 mg/l species: Daphnia magna
EC50 72h - Algae [1]	> 97.2 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
ErC50 algae	> 97.2 mg/l OECD 201: 72 h Pseudokirchneriella subcapitata (Green Algae)
NOEC (chronic)	45.2 mg/l Species: Daphnia magna Duration: '21 d'
NOEC chronic crustacea	45.2 mg/l
NOEC chronic algae	97.2 mg/l
Reaction Mass Of 2,2'-[(4-Methylphenyl)Imino]Bisethanol And Ethanol 2-[[2-(2-Hydroxyethoxy)Ethyl](4-Methylphenyl)Amino]-	
LC50 - Fish [1]	> 100 mg/l
EC50 - Other aquatic organisms [1]	48 mg/l
2,6-di-tert-butyl-p-cresol; BHT (128-37-0)	
LC50 - Fish [1]	1.1 mg/l Test organisms (species): Japanese Rice Fish (Oryzias latipes)
EC50 - Crustacea [1]	≥ 0.84 mg/l Species: Daphnia magna
EC50 72h - Algae [1]	≥ 7 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
LOEC (chronic)	1 mg/l Species: Daphnia magna Duration: '21 d'
NOEC (chronic)	0.061 mg/l Species: Daphnia magna Duration: '21 d'
NOEC chronic fish	0.053 mg/l Test organisms (species): Japanese Rice Fish (Oryzias latipes)
NOEC chronic crustacea	≥ 0.23 mg/l (OECD 202 method)
NOEC chronic algae	≈ 1.7 mg/l (OECD 201 method)
N,N-dimethyl-p-toluidine	
LC50 - Fish [1]	46 mg/l Test organisms (species): Fathead minnow (Pimephales promelas)
EC50 72h - Algae [1]	24.3 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
Acrylic Acid (79-10-7)	
LC50 - Fish [1]	27 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	95 mg/l Species: Daphnia magna
ErC50 algae	0.13 mg/l EU Method C.3, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Weight of evidence, Nominal concentration
LOEC (chronic)	8.1 mg/l Species: Daphnia magna Duration: '21 d'
α,α-dimethylbenzyl hydroperoxide (80-15-9)	
LC50 - Fish [1]	3.9 mg/l

T42 Nutlock

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Dipropylene glycol diacrylate (57472-68-1)

LC50 - Fish [1]	2.2 – 4.64 mg/l
EC50 - Other aquatic organisms [1]	22.3 mg/l

12.2. Persistence and degradability

T42 Nutlock

Persistence and degradability	Product has only a limited biodegradability in soil and water.
-------------------------------	--

Triethyleneglycol Dimethacrylate (109-16-0)

Persistence and degradability	Readily biodegradable.
Biodegradation	≈ 75 %

Diisopropyl Naphthalene (38640-62-9)

Persistence and degradability	Not readily biodegradable in water.
-------------------------------	-------------------------------------

Hydroxypropyl Methacrylate (27813-02-1)

Persistence and degradability	> 80 % biodegradation.
Biodegradation	> 80 %

2'-Phenylacetohydrazide (114-83-0)

Persistence and degradability	Biodegradability in water: no data available.
-------------------------------	---

N,N-dimethyl-p-toluidine

Persistence and degradability	Not readily biodegradable in water.
-------------------------------	-------------------------------------

Acrylic Acid (79-10-7)

Persistence and degradability	Readily biodegradable in water. easily degradable in the soil.
-------------------------------	--

Dipropylene glycol diacrylate (57472-68-1)

Persistence and degradability	Readily biodegradable.
-------------------------------	------------------------

12.3. Bioaccumulative potential

T42 Nutlock

Bioaccumulative potential	Low bioaccumulation potential.
---------------------------	--------------------------------

Triethyleneglycol Dimethacrylate (109-16-0)

Bioaccumulative potential	No bioaccumulation potential.
---------------------------	-------------------------------

Diisopropyl Naphthalene (38640-62-9)

BCF - Fish [1]	770 – 6400 (OECD 305 method)
Partition coefficient n-octanol/water (Log Pow)	6.081 (calculated value)
Bioaccumulative potential	Bioaccumulation potential. BCF. > 5000.

Hydroxypropyl Methacrylate (27813-02-1)

Partition coefficient n-octanol/water (Log Pow)	0.97 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 23 °C)
Bioaccumulative potential	Low bioaccumulation potential.

2'-Phenylacetohydrazide (114-83-0)

Bioaccumulative potential	No bioaccumulation data available. Lack of data.
---------------------------	--

T42 Nutlock

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

2,6-di-tert-butyl-p-cresol; BHT (128-37-0)	
Partition coefficient n-octanol/water (Log Pow)	5.1
N,N-dimethyl-p-toluidine	
BCF - Fish [1]	33 (EPA OTS 797.1520)
Partition coefficient n-octanol/water (Log Pow)	1.729 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): 35 °C)
Bioaccumulative potential	Low bioaccumulation potential. BCF. <500.
Acrylic Acid (79-10-7)	
BCF - Fish [1]	3.162 (estimated value)
Partition coefficient n-octanol/water (Log Pow)	0.46 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 23 °C)
Bioaccumulative potential	Low bioaccumulation potential. BCF. <500.
12.4. Mobility in soil	
T42 Nutlock	
Ecology - soil	Product adsorbs onto the soil.
Additional information	Toxic to soil organisms
Triethyleneglycol Dimethacrylate (109-16-0)	
Ecology - soil	Product adsorbs onto the soil. The liquid is heavier than water. Not volatile.
Diisopropyl Naphthalene (38640-62-9)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	4.558 (log Koc, QSAR)
Ecology - soil	Potential for mobility in soil is slight.
Hydroxypropyl Methacrylate (27813-02-1)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.9 (calculated value)
2'-Phenylacetohydrazide (114-83-0)	
Ecology - soil	No specific data.
N,N-dimethyl-p-toluidine	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.1 (calculated value)
Ecology - soil	Potential for mobility in soil is slight.
Acrylic Acid (79-10-7)	
Surface tension	69.9 mN/m (1 g/l) @20°C
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.78 – 2.14
Ecology - soil	Low potential for absorption in soil.
12.5. Results of PBT and vPvB assessment	
Component	
Diisopropyl Naphthalene (38640-62-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

T42 Nutlock

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Component	
Hydroxypropyl Methacrylate (27813-02-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Acrylic Acid (79-10-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
N,N-dimethyl-p-toluidine	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.
Product/Packaging disposal recommendations : a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
Special provision(s) applied : 375	Special provision(s) applied : 969	Special provision(s) applied : A197	Special provision(s) applied : 375	Special provision(s) applied : 375

These substances when carried in single or combination packagings containing a net quantity per single or inner packaging of 5 l or less for liquids or having a net mass per single or inner packaging of 5 kg or less for solids, are not subject to any other provisions of ADR provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.

14.1. UN number

UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
---------	---------	---------	---------	---------






14.2. UN proper shipping name

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS : Diisopropyl Naphthalene)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS : Diisopropyl Naphthalene)	Environmentally hazardous substance, liquid, n.o.s. (CONTAINS : Diisopropyl Naphthalene)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS : Diisopropyl Naphthalene)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS : Diisopropyl Naphthalene)
--	--	--	--	--

Transport document description

UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS : Diisopropyl Naphthalene), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS : Diisopropyl Naphthalene), 9, III	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (CONTAINS : Diisopropyl Naphthalene), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS : Diisopropyl Naphthalene), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CONTAINS : Diisopropyl Naphthalene), 9, III
---	--	--	--	--

14.3. Transport hazard class(es)

9	9	9	9	9
				

T42 Nutlock

Safety Data Sheet


according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ADR	IMDG	IATA	ADN	RID
14.4. Packing group				
III	III	III	III	III
14.5. Environmental hazards				
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes
Environmentally hazardous substances derogation applies (quantity of liquids ≤ 5 litres or net mass of solids ≤ 5 kg). The environmentally hazardous substance mark is therefore not required, as stated in the ADR regulation, section 5.2.1.8.1.				
No supplementary information available				

14.6. Special precautions for user

Overland transport

Classification code (ADR)	: M6
Special provisions (ADR)	: 274, 335, 375, 601
Limited quantities (ADR)	: 5I
Excepted quantities (ADR)	: E1
Packing instructions (ADR)	: P001, IBC03, LP01, R001
Special packing provisions (ADR)	: PP1
Mixed packing provisions (ADR)	: MP19
Portable tank and bulk container instructions (ADR)	: T4
Portable tank and bulk container special provisions (ADR)	: TP1, TP29
Tank code (ADR)	: LGBV
Vehicle for tank carriage	: AT
Transport category (ADR)	: 3
Special provisions for carriage - Packages (ADR)	: V12
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV13
Hazard identification number (Kemler No.)	: 90
Orange plates	:



Tunnel restriction code (ADR)	: -
EAC code	: •3Z

Transport by sea

Special provisions (IMDG)	: 274, 335, 969
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: LP01, P001
Special packing provisions (IMDG)	: PP1
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP29
EmS-No. (Fire)	: F-A
EmS-No. (Spillage)	: S-F
Stowage category (IMDG)	: A

Air transport

PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y964
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 964
PCA max net quantity (IATA)	: 450L
CAO packing instructions (IATA)	: 964

T42 Nutlock

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

CAO max net quantity (IATA) : 450L
Special provisions (IATA) : A97, A158, A197, A215
ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6
Special provisions (ADN) : 274, 335, 375, 601
Limited quantities (ADN) : 5 L
Excepted quantities (ADN) : E1
Equipment required (ADN) : PP
Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : M6
Special provisions (RID) : 274, 335, 375, 601
Limited quantities (RID) : 5L
Excepted quantities (RID) : E1
Packing instructions (RID) : P001, IBC03, LP01, R001
Special packing provisions (RID) : PP1
Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions (RID) : TP1, TP29
Tank codes for RID tanks (RID) : LGBV
Transport category (RID) : 3
Special provisions for carriage – Packages (RID) : W12
Special provisions for carriage - Loading, unloading and handling (RID) : CW13, CW31
Colis express (express parcels) (RID) : CE8
Hazard identification number (RID) : 90

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)

Reference code	Applicable on	Entry title or description
3(a)	Acrylic Acid ; α,α -dimethylbenzyl hydroperoxide	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F

T42 Nutlock

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(b)	T42 Nutlock ; Triethyleneglycol Dimethacrylate ; Diisopropyl Naphthalene ; Hydroxypropyl Methacrylate ; Reaction Mass Of 2,2'-[(4- Methylphenyl)Imino]Biset hanol And Ethanol 2-[[2- (2- Hydroxyethoxy)Ethyl](4- Methylphenyl)Amino]- ; N,N-dimethyl-p-toluidine ; Acrylic Acid ; α,α - dimethylbenzyl hydroperoxide ; Dipropyleneglycol diacrylate ; Modified Polyether Acrylate	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
3(c)	T42 Nutlock ; Triethyleneglycol Dimethacrylate ; Diisopropyl Naphthalene ; Reaction Mass Of 2,2'-[(4- Methylphenyl)Imino]Biset hanol And Ethanol 2-[[2- (2- Hydroxyethoxy)Ethyl](4- Methylphenyl)Amino]- ; N,N-dimethyl-p-toluidine ; Acrylic Acid ; α,α - dimethylbenzyl hydroperoxide	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	Acrylic Acid	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

REACH Annex XIV (Authorisation List)

Contains no REACH Annex XIV substances

REACH Candidate List (SVHC)

Contains no substance on the REACH candidate list

PIC Regulation (Prior Informed Consent)

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

POP Regulation (Persistent Organic Pollutants)

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Ozone Regulation (1005/2009)

Contains no substance subject to REGULATION (EU) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 September 2009 on substances that deplete the ozone layer.

T42 Nutlock

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Explosives Precursors Regulation (2019/1148)

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

Drug Precursors Regulation (273/2004)

Contains no substance subject to Regulation (EC) 273/2004 of the European Parliament and of the Council of 11 February 2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out for the substance or the mixture by the supplier

SECTION 16: Other information

Indication of changes			
Section	Changed item	Change	Comments
	Revision date	Modified	
	Supersedes version of	Modified	
2.1	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Modified	
2.2	Hazard statements (CLP)	Modified	
2.2	Precautionary statements (CLP)	Modified	

Abbreviations and acronyms:	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration

T42 Nutlock

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Abbreviations and acronyms:

NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Data sources : Supplier's safety documents. ECHA (European Chemicals Agency). UNECE, <http://www.unece.org/>.

Full text of H- and EUH-statements:

Acute Tox. 2 (Inhalation:vapour)	Acute toxicity (inhalation:vapour) Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Carc. 2	Carcinogenicity, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H242	Heating may cause a fire.

T42 Nutlock

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Full text of H- and EUH-statements:	
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Org. Perox. E	Organic Peroxides, Type E
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1A	Skin sensitisation, category 1A
Skin Sens. 1B	Skin sensitisation, category 1B
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation

Safety Data Sheet (SDS), EU

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. Cyanotec Ltd. and/or its agents cannot accept any liability for the use of information contained in this data sheet or for the use, application or processing of the product described in this data sheet. Users should note the possibility of hazards occurring due to improper uses of the product.